

Sonoma County Sanitation Water Efficiency Program

List of Qualifying Toilet Models

Updated December 1, 2009

This list of qualifying toilet models is updated periodically with qualifying toilets being both added and removed. Always confirm that you have the most up to date list before purchasing toilets by visiting the Water Efficiency Program Website at www.sonomacountywater.org/sanitation-rebates or by calling the Water Efficiency Program at (707) 547-1918.

Participating Sanitation Providers

- Airport/Larkfield/Wikiup Sanitation Zone
- Geyserville Sanitation Zone
- Occidental County Sanitation District
- Penngrove Sanitation Zone
- Russian River County Sanitation District
- Sonoma Valley County Sanitation District
- South Park County Sanitation Zone (Rebate Program Only)
- Sea Ranch County Sanitation Zone (Direct-Install Program Only)

Make	Model Name	Model Number			MaP Score	Water Sense	Flush Type
		Set	Bowl	Tank			
American Standard	Cadet FloWise EL	2462.100	3481.100	4142.100	NM	WS	PA
American Standard	Cadet FloWise EL ADA	2467.100	3483.100	4142.100	NM	WS	PA
American Standard	FloWise Dual Flush EL	2479.216 or 2476.216	3067	4035.216	900	WS	DF
American Standard	FloWise Dual Flush EL (insulated tank)	2479.516, 2779.516 or 2476.516	3067	4035.516	800	WS	DF
American Standard	FloWise Dual Flush EL ADA	2480.216, 2484.216, 2566.216 or 2778.516	3073	4035	600	WS	DF
American Standard	FloWise Dual Flush EL ADA (insulated tank)	2480.516, 2484.516 or 2566.516	3073	4035.516	500	WS	DF
American Standard	Yorkville EL (rear discharge)	2876.100	3701.100	4142.100	NM	WS	PA
American Standard	Yorkville EL ADA (rear discharge)	2878.100	3703.100	4142.100	NM	WS	PA
Capizzi	Turbo Capizzi High Profile EL	-	0478	1578	500		PA
Capizzi	Turbo Capizzi Low Profile EL ADA	-	0441	1513	500		PA
Caroma	Adelaide 270 CC Cube RF	-	834000	814790	700	WS	DF
Caroma	Adelaide 270 CC Standard RF	-	834000	814328	700	WS	DF
Caroma	Adelaide 270 EH Cube RF ADA	-	825500	814790	700	WS	DF
Caroma	Adelaide 270 EH Standard RF ADA	-	825500	814328	700	WS	DF
Caroma	Bondi 270 CC RF	-	609159	726350	600	WS	DF
Caroma	Bondi 270 EL	-	609100	726350	550	WS	DF
Caroma	Bondi 270 EL ADA	-	609120	726350	900	WS	DF
Caroma	Bondi 270 RF ADA	-	609177	726350	550	WS	DF
Caroma	Bondi 305 CC RF	-	609151	726350	450	WS	DF
Caroma	Bondi 305 EL	-	609130	726350	700	WS	DF
Caroma	Brisbane 270 RF	-	833900	810266	700	WS	DF
Caroma	Caravelle 270 EL	-	609100	629435	500	WS	DF
Caroma	Caravelle 270 EL ADA	-	609120	629435	800	WS	DF
Caroma	Caravelle 270 RF	989760	609159	629435	NM	WS	DF

List continued on next page.

Make	Model Name	Model Number			MaP Score	Water Sense	Flush Type
		Set	Bowl	Tank			
Caroma	Caravelle 270 RF ADA	989770	609177	629435	NM	WS	DF
Caroma	Caravelle 305 EL	-	609130	629435	500	WS	DF
Caroma	Caravelle 305 RF	989680	609151	629435	NM	WS	DF
Caroma	Caravelle 1-Piece RF	989646	-	-	500	WS	DF
Caroma	Caravelle 1-Piece EL ADA	989668	-	-	800	WS	DF
Caroma	Colonial 270 RF	-	605310	625070	600	WS	DF
Caroma	Colonial 270 RF ADA	-	605320	625070	700	WS	DF
Caroma	Profile Smart 305 RF (1.28/0.8 gpf)	-	60915A	840420	800	WS	DF
Caroma	Reflections 270 EL	-	609100	629530	500		DF
Caroma	Reflections 305 RF	-	609151	629530	600		DF
Caroma	Royale 270 EL	-	609100	624530	800	WS	DF
Caroma	Royale 270 EL ADA	-	609120	624530	850	WS	DF
Caroma	Royale 270 RF	-	609159	624530	600	WS	DF
Caroma	Royale 270 RF ADA	-	609177	624530	900	WS	DF
Caroma	Royale 305 EL	-	609130	629530	NM	WS	DF
Caroma	Royale 305 RF	-	609151	624530	NM	WS	DF
Caroma	Sydney 270 EL	-	609100	622320	500	WS	DF
Caroma	Sydney 270 EL ADA	-	609120	622320	1000	WS	DF
Caroma	Sydney 270 RF	-	609159	622320	600	WS	DF
Caroma	Sydney 270 RF ADA	-	609177	622320	600	WS	DF
Caroma	Sydney 305 EL	-	609130	622320	500	WS	DF
Caroma	Sydney 305 RF	-	609151A	622320	1000	WS	DF
Caroma	Sydney Low Profile 270 EH EL ADA	-	609120	622330	550	WS	DF
Caroma	Sydney Low Profile 270 EL	-	609100	622330	550	WS	DF
Caroma	Sydney Low Profile 270 RF	-	609159	622330	550	WS	DF
Caroma	Sydney Low Profile 270 RF ADA	-	609177	922330	650	WS	DF
Caroma	Sydney Low Profile 305 EL	-	609130	622330	550	WS	DF
Caroma	Sydney Low Profile 305 RF	-	609151A	622330	500	WS	DF
Caroma	Sydney Smart 270 EL (1.28/0.8 gpf)	-	609100	622322	800	WS	DF
Caroma	Sydney Smart 270 EL ADA (1.28/0.8 gpf)	-	609120	622322	800	WS	DF
Caroma	Sydney Smart 270 RF (1.28/0.8 gpf)	-	609159	622322	800	WS	DF
Caroma	Sydney Smart 270 RF ADA (1.28/0.8 gpf)	-	609177	622322	850	WS	DF
Caroma	Sydney Smart 305 EL (1.28/0.8 gpf)	-	609130	622322	900	WS	DF
Caroma	Sydney Smart 305 RF (1.28/0.8 gpf)	-	609151A	622322	650	WS	DF
Caroma	Sydney Smart Rear Outlet (1.28/0.8 gpf)	-	609450	622322	900	WS	DF
Contrac	None EL ADA	5270BOY	B5720BOV	T5720BOY	800		PA
Crane	EcoMiser EL	38340	3824	31500	1000		PA
Crane	EcoMiser EL	38350	3825	31500	1000		PA
Crane	EcoMiser EL ADA	38380	3828	31500	1000		PA
Crane	Economiser EL	3837	3827	3612NS	600		PA
Crane	Economiser One Bigfoot EL	31885	31125	31612	1000	WS	PA
Crane	Economiser One Bigfoot EL ADA	31888	31128	31612	1000	WS	PA
Crane	Economiser One Bigfoot RF	31884	31124	31612	1000	WS	PA
Crane	Economiser One EL	31945	3825	31612	1000		PA
Crane	Economiser One EL ADA	31948	3828	31612	1000		PA
Crane	Economiser One RF	31944	3824	31612	1000		PA
Crane	Economiser RF (rear discharge)	3836	3826	3612NS	600		PA
Eljer	Power 1-G EL	091-7625	131-7625	141-7600	800		PA

List continued on next page.

Make	Model Name	Model Number			MaP Score	Water Sense	Flush Type
		Set	Bowl	Tank			
Eljer	Power 1-G EL ADA	091-7675	131-7675	141-7600	800		PA
Foremost	None EL ADA	A04-035177E	LL-177E	T4-035	800		PA
Foremost	None EL ADA	A04-045177E	LL-177E	T4-045	800		PA
Foremost	None EL ADA	A04-215177E	LL-177E	T4-215	800		PA
Foremost	None EL ADA	A04-425177E	LL-177E	T4-425	800		PA
Foremost	None EL ADA	A04-825177E	LL-177E	T4-825	800		PA
Foremost	None EL ADA	A04-045167E	LL-167E	T4-045	800		PA
Gerber	Ultra Flush EL (rear discharge)	EF-21-310	21-374	EF-28-380	800	WS	PA
Gerber	Ultra Flush EL ADA	EF 21-318	21-377	EF-28-380	800	WS	PA
Gerber	Ultra Flush EL ADA	EF-21-312	21-372	EF-28-380	800	WS	PA
Gerber	Ultra Flush EL ADA	EF-21-314	21-372	EF-28-384	800	WS	PA
Gerber	Ultra Flush EL ADA	EF-21-324	21-372	EF-28-384	800	WS	PA
Gerber	Ultra Flush EL ADA (rear discharge)	EF-21-325	21-375	EF-28-380	800	WS	PA
Gerber	Ultra Flush EL ADA (w/bedpan lugs)	EF-21-319	21-329	EF-28-390	800		PA
Gerber	Ultra Flush RF	EF-21-302	21-342	EF-28-380	1000	WS	PA
Gerber	Ultra Flush RF	EF-21-304	21-342	EF-28-384	1000	WS	PA
Hennessy & Hinchcliffe	Proficiency - EL ADA (0.8 gpf)	N7717	N7717	N7715T	500	WS	GF
Hennessy & Hinchcliffe	Proficiency - RF ADA (0.8 gpf)	N7716	N7716	N7715T	400	WS	GF
Home Depot	Power One EL SKU 385-195, UPC 732291231015	N2310	2310B	2310T	1000	WS	PA
Kohler	Barrington Pressure Lite EL ADA	K-3578	4305	4484	NM	WS	PA
Kohler	Escale EL	K-3588	4308	4472	500	WS	DF
Kohler	Persuade EL	K-3654	4322	4322	600	WS	DF
Kohler	Reve EL (1-piece)	K-3797	-	-	NM	WS	DF
Kohler	Saile EL (1-piece)	K-3564	-	-	500	WS	DF
Kohler	San Raphael Pressure Lite EL ADA (1-piece)	K-3597	-	-	600	WS	PA
Kohler	Sterling Karsten Dual Force EL	402028	402026	402023	400	WS	DF
Kohler	Sterling Karsten RF	402025	402021	402023	800	WS	DF
Kohler	Sterling Rockton EL	402027	402026	402022	350	WS	DF
Kohler	Sterling Rockton RF	402024	402021	402022	NM	WS	DF
Kohler	Sterling Stanton EL	402040	402030	402031	NM	WS	DF
Kohler	Wellworth Pressure Lite EL	K-3531	4303	4484	1000	WS	PA
Kohler	Highline Pressure Lite EL ADA	K-3519	4304	4484	1000	WS	PA
Mansfield	Prestigio 4 EL (1-piece)	704	-	-	950	WS	PA
Mansfield	Quantum EL (wall mount, rear discharge)	-	144	153	900	WS	PA
Mansfield	QuantumOne EL	-	147	153	1000	WS	PA
Mansfield	QuantumOne EL (rear discharge)	-	149	153	1000	WS	PA
Mansfield	QuantumOne EL ADA	-	148	153	1000	WS	PA
Mansfield	QuantumOne RF	-	146	153	1000	WS	PA
Niagara	None - EL ADA (0.8 gpf)	N7717	N7717	N7715T	500	WS	GF
Niagara	None - RF ADA (0.8 gpf)	N7716	N7716	N7715T	400	WS	GF
Niagara	Power One EL (1.0 gpf)	N2310	2310B	2310T	1000	WS	PA
Niagara	Power One RF (1.0 gpf)	N2310R	N2310R	N2310T	800	WS	PA
Pro-Flo	None EL (1.0 gpf)	-	PF1601	PF1612	900	WS	PA
Pro-Flo	None EL ADA (1.0 gpf)	-	PF1603	PF1612	900	WS	PA
Vitra	Evergreen EL ADA (1.0 gpf)	-	5065	5066	500	WS	PA
Vortens-Lamosa	Tornado EL (1.0 gpf)	-	3138	3468	700	WS	PA
Vortens-Lamosa	Tornado EL ADA (1.0 gpf)	-	3134	3468	1000	WS	PA

List continued on next page.

Make	Model Name	Model Number			MaP Score	Water Sense	Flush Type
		Set	Bowl	Tank			
Western Pottery	None (1.0 gpf)	B422PF-1	422PF	T-4ULF-PF	NM	WS	PA
Western Pottery	Wrangler EL (1.0 gpf)	472PF-1	472PF	T-4ULF-PF	NM	WS	PA
Western Pottery	Wrangler One EL (1.0 gpf)	B432PF-1	432 PF	ULF-T4	1000		PA
Zurn	EcoVantage EL (1.0 gpf)	Z5571	Z5570	Z5561	800	WS	PA
Zurn	EcoVantage EL ADA (1.0 gpf)	Z5561	Z5560	Z5561	1000	WS	PA
Zurn	EcoVantage RF (1.0 gpf)	Z5576	Z5575	Z5561	NM	WS	PA

Abbreviations

- WS - WaterSense Labeled Toilet
- MaP Score - Maximum Performance Testing Score
- NM - Not Measured for maximum performance, flushes at least 350 grams to meet EPA WaterSense standards
- DF - Dual Flush
- PA - Pressure Assist
- GF - Gravity Assist
- EL - Elongated Bowl
- RF - Round Front Bowl
- ADA - Americans with Disabilities Act Compliant

Maximum Performance (MaP) Testing - a new and better measurement of toilet performance!

Many toilet fixture performance tests exist, including proprietary tests by the fixture manufacturers, tests by Consumer Reports magazine, and the tests mandated by the plumbing codes for fixture certification. Few of these, however, use test media that closely resembles the real “demands” upon a toilet.

The Maximum Performance (MaP) testing project was undertaken in 2003 in order to identify how well popular toilet models perform using a realistic test media. A new testing protocol, cooperatively developed by water-efficiency and plumbing fixture specialists in the U.S. and Canada, incorporated the use of soybean paste as a test media, closely replicating the “real world demand” upon fixtures. This protocol has been adopted by the U.S. Environmental Protection Agency for their WaterSense program.

The test media is measured in grams and toilet performance is determined by how much test media it can successfully flush. Toilets on this list of qualifying models have a MaP test performance of at least 500 grams or are WaterSense labeled.

For more information on MaP testing and to download the complete report, visit <http://www.cuwcc.org/resource-center/products/toilet-fixtures/MaP-UNAR.aspx>

HIGH-EFFICIENCY TOILET

