

List of Qualifying Toilet Models REBATE UP TO **\$150**

1.1 gallons per flush or less average flush volume

Winter/Spring 2012

HET Rebates Available

Get up to \$150 back on the purchase of qualified, high-efficiency toilets (HET). **Contact your local sanitation or water service provider for more information and an application for the rebate before purchase.** Requirements and restrictions apply and vary by service provider.

This list of qualifying toilet models is updated periodically and is valid for the service providers listed below. To view or download the most current list, visit your service provider's Website or call your service provider.

Participating Sanitation Service Providers

Airport / Larkfield / Wikiup Sanitation Zone
 Geyserville Sanitation Zone
 Occidental County Sanitation District
 Penngrove Sanitation Zone
 Russian River County Sanitation District
 Sonoma Valley County Sanitation District
 (707) 547-1918

Participating Water Service Providers

City of Sonoma - (707) 933-2237
 City of Sebastopol - (707) 823-8597
 Sweetwater Springs Water District - (707) 869-4000
 Valley of the Moon Water District - (707) 996-1037

Make	Model Name	Model Number			MaP Score	Water Sense	Flush Type
		Set	Bowl	Tank			
American Standard	Cadet FloWise EL	2462.100	3481.100	4142.100	NM	WS	PA
American Standard	Cadet FloWise EL ADA	2467.100	3483.100	4142.100	NM	WS	PA
American Standard	FloWise Dual Flush EL ADA	2480.216, 2484.216, 2566.216 or 2778.516	3073	4035.216	600	WS	DF
American Standard	FloWise Dual Flush EL ADA (insulated tank)	2480.516, 2484.516 or 2566.516	3073	4035.516	500	WS	DF
American Standard	FloWise Dual Flush RF	2489.216	3074.216	4053.216	600	WS	DF
American Standard	FloWise Dual Flush RF (insulated tank)	2489.516	3074.216	4035.516	600	WS	DF
American Standard	Yorkville FloWise EL (rear outlet)	2876.100	3701.100 or 3703.001	4142.1	NM	WS	PA
American Standard	Yorkville FloWise EL ADA (rear outlet)	2878.100	3703.100 OR 3703.001	4142.1	NM	WS	PA
Capizzi	Turbo Capizzi High Profile EL (1.0gpf)	-	478	1578	500	WS	PA
Capizzi	Turbo Capizzi Low Profile EL ADA (1.0gpf)	-	441	1513	500	WS	PA
Caroma	Adelaide 270 CC Cube RF	-	834000	814790	700	WS	DF

List continued on next page.

Make	Model Name	Model Number			MaP Score	Water Sense	Flush Type
		Set	Bowl	Tank			
Caroma	Adelaide 270 CC Standard RF	-	834000	814328	700	WS	DF
Caroma	Adelaide 270 EH Cube RF ADA	-	825500	814790	700	WS	DF
Caroma	Adelaide 270 EH Standard RF ADA	-	825500	814328	700	WS	DF
Caroma	Bondi 270 CC RF	-	609159	726350	600	WS	DF
Caroma	Bondi 270 EL	-	609100	726350	550	WS	DF
Caroma	Bondi 270 EL ADA	-	609120	726350	900	WS	DF
Caroma	Bondi 270 RF ADA	-	609177	726350	550	WS	DF
Caroma	Bondi 305 CC RF	-	609151	726350	450	WS	DF
Caroma	Bondi 305 EL	-	609130	726350	700	WS	DF
Caroma	Brisbane 270 RF	-	833900	810266	700	WS	DF
Caroma	Caravelle 1-Piece EL ADA	989668	-	-	800	WS	DF
Caroma	Caravelle 1-Piece RF	989646	-	-	500	WS	DF
Caroma	Caravelle 270 EL	-	609100	629435	500	WS	DF
Caroma	Caravelle 270 EL ADA	-	609120	629435	800	WS	DF
Caroma	Caravelle 270 RF	989760	609159	629435	NM	WS	DF
Caroma	Caravelle 270 RF ADA	989770	609177	629435	NM	WS	DF
Caroma	Caravelle 305 EL	-	609130	629435	500	WS	DF
Caroma	Caravelle 305 RF	989680	609151	629435	NM	WS	DF
Caroma	Colonial 270 RF	-	605310	625070	600	WS	DF
Caroma	Colonial 270 RF ADA	-	605320	625070	700	WS	DF
Caroma	Invisi II Cube Wall Faced (1.28/0.8 gpf)	237060	824708	237060	350	WS	DF
Caroma	Invisi II Cube Wall Mount (1.28/0.8 gpf)	604300	237061	237062	350	WS	DF
Caroma	Invisi II Metro Wall Mount (1.28/0.8 gpf)	604500	237061	237062	350	WS	DF
Caroma	Invisi II Seido Wall Faced (1.28/0.8 gpf)	-	237060	824508	350	WS	DF
Caroma	Invisi II Seido Wall Mount (1.28/0.8 gpf)	-	604408	237061 or 237062	350	WS	DF
Caroma	Invisi II Walvit EL (ADA optional) (1.28/0.8 gpf)	-	604119	237061 or 237062	350	WS	DF
Caroma	Profile Smart 270 EL ADA (1.28/0.8 gpf)	-	609120	840240	NM	WS	DF
Caroma	Profile Smart 305 RF	-	60915A	840420	800	WS	DF
Caroma	Reflections 270 EL	-	609100	629530	NM	WS	DF
Caroma	Reflections 305 RF	-	609151	629530	NM	WS	DF
Caroma	Royale 270 EL	-	609100	624530	800	WS	DF
Caroma	Royale 270 EL ADA	-	609120	624530	850	WS	DF
Caroma	Royale 270 RF	-	609159	624530	600	WS	DF
Caroma	Royale 270 RF ADA	-	609177	624530	900	WS	DF
Caroma	Royale 305 EL	-	609130	629530	850	WS	DF
Caroma	Royale 305 RF	-	609151	624530	600	WS	DF
Caroma	Somerton 270 RF ADA (1.28/0.8 gpf)	-	829008	810788	800	WS	DF

List continued on next page.

Make	Model Name	Model Number			MaP Score	Water Sense	Flush Type
		Set	Bowl	Tank			
Caroma	Sydney 270 EL	-	609100	622320	500	WS	DF
Caroma	Sydney 270 EL ADA	-	609120	622320	1000	WS	DF
Caroma	Sydney 270 RF	-	609159	622320	600	WS	DF
Caroma	Sydney 270 RF ADA	-	609177	622320	600	WS	DF
Caroma	Sydney 305 EL	-	609130	622320	500	WS	DF
Caroma	Sydney 305 RF	-	609151A	622320	1000	WS	DF
Caroma	Sydney 305 RF ADA (1-piece) (1.28/0.8 gpf)	828808	-	-	600	WS	DF
Caroma	Sydney Low Profile 270 EH EL ADA	-	609120	622330	550	WS	DF
Caroma	Sydney Low Profile 270 EL	-	609100	622330	550	WS	DF
Caroma	Sydney Low Profile 270 RF	-	609159	622330	550	WS	DF
Caroma	Sydney Low Profile 270 RF ADA	-	609177	922330	650	WS	DF
Caroma	Sydney Low Profile 305 EL	-	609130	622330	550	WS	DF
Caroma	Sydney Low Profile 305 RF	-	609151A	622330	500	WS	DF
Caroma	Sydney Smart 270 EL (1.28/0.8 gpf)	-	609100	622322	850	WS	DF
Caroma	Sydney Smart 270 EL ADA (1.28/0.8 gpf)	-	609120	622322	850	WS	DF
Caroma	Sydney Smart 270 RF (1.28/0.8 gpf)	-	609159	622322	850	WS	DF
Caroma	Sydney Smart 270 RF ADA (1.28/0.8 gpf)	-	609177	622322	850	WS	DF
Caroma	Sydney Smart 305 EL (1.28/0.8 gpf)	-	609130	622322	900	WS	DF
Caroma	Sydney Smart 305 RF (1.28/0.8 gpf)	-	609151A	622322	650	WS	DF
Caroma	Sydney Smart Rear Outlet (1.28/0.8 gpf)	-	609450	622322	900	WS	DF
Caroma	Walvit EL (wall mount, ADA optional)	-	604119	227001	500	WS	DF
Chelini	Marriot EL ADA (insulated)	-	B1216E	TDF1246	600	WS	DF
Chelini	Marriot EL (insulated)	-	B1215E	TDF1246	400	WS	DF
Chelini	Marriot RF (insulated)	-	B1215R	TDF1246	600	WS	DF
Contrac	Cadell RF	5730BFVU	B5730BFVU	T5730BFVU	500	WS	PA
Contrac	Camri EL	5720BEWU	5722BEW	5721BEWU	600	WS	DF
Contrac	Canby EL (1 piece)	5710BEWU	-	-	800	WS	DF
Contrac	Case EL ADA	5730BOVU	B5730BOVU	T5730BOVU	500	WS	DF
Contrac	Cato EL	5730BEVU	5730BOVU	T5730BEVU	500	WS	DF
Contrac	Claire RF (1-piece)	5710BFWU	-	-	800	WS	DF
Contrac	Claire RF (1-piece)	5710BFWU	-	-	800	WS	DF
Contrac	Clancy RF ADA	5730BIVU	B5730BIVU	T5730BIVU	600	WS	DF
Contrac	Clint EL (1-piece, insulated)	5710BEZ	-	-	1000	WS	DF
Contrac	Colin EL	5720BEZU	B5720BEZ	T5720BEZU	800	WS	DF
Contrac	Colin EL (insulated)	5720BEZ	B5720BEZ	T5720BEZ	600	WS	DF
Contrac	Craig RF	5720BFWU	5722BFW	5721BFWU	600	WS	DF
Contract	Cleo EL ADA	5720BOY	B5720BOY	T5720BOY	800	WS	PA
Crane	EcoMiser EL	38340	3824	31500	1000	WS	PA
Crane	EcoMiser EL	38350	3825	31500	1000	WS	PA
Crane	EcoMiser EL ADA	38380	3828	31500	1000	WS	PA

List continued on next page.

Make	Model Name	Model Number			MaP Score	Water Sense	Flush Type
		Set	Bowl	Tank			
Crane	EcoMiser One Bigfoot RF	38335	31124	31500	1000	WS	PA
Crane	Economiser EL	3837	3827	3612NS	600	WS	PA
Crane	Economiser One Bigfoot EL	31885	31125	31612	1000	WS	PA
Crane	Economiser One Bigfoot EL ADA	31888	31128	31612	1000	WS	PA
Crane	Economiser One Bigfoot RF	31884	31124	31612	1000	WS	PA
Crane	Economiser One EL	31945	3825	31612	1000	WS	PA
Crane	Economiser One EL ADA	31948	3828	31612	1000	WS	PA
Crane	Economiser One RF	31944	3824	31612	1000	WS	PA
Crane	Economiser RF (rear discharge)	3836	3826	361NS	600	WS	PA
Duravit	2nd Floor (ADA optional, rear discharge)	-	220509	111.335	350	WS	DF
Duravit	Caro (ADA optional, rear discharge)	-	015609	111.335	350	WS	DF
Duravit	Darling (rear discharge)	-	020709	111.335	350	WS	DF
Duravit	D-Code (rear discharge)	-	220909	111.335	500	WS	DF
Duravit	Foster (ADA optional, rear discharge)	-	017509	111.335	350	WS	DF
ECO-FITT (by Niagara)	Power One EL	N2310	2310B	2310T	1000	WS	PA
Foremost	HET Dual Flush: (wall hung, in-wall tank)	-	LL-1041	CT-1041DF	600	WS	DF
Foremost	None EL ADA (1.0 gpf)	AO1-005887E	LL-887E	T1-005	500	WS	PA
Foremost	None EL ADA	AO4-035177E	LL-177E	T4-035	800	WS	GF
Foremost	None EL ADA	AO4-045167E	LL-167E	T4-045	800	WS	GF
Foremost	None EL ADA	AO4-045167E	LL-167E	T4-045	800	WS	GF
Foremost	None EL ADA	AO4-045177E	LL-177E	T4-045	800	WS	GF
Foremost	None EL ADA	AO4-215177E	LL-177E	T4-215	800	WS	GF
Foremost	None EL ADA	AO4-425177E	LL-177E	T4-425	800	WS	GF
Foremost	None EL ADA	AO4-825177E	LL-177E	T4-825	800	WS	GF
Foremost	None EL ADA (insulated) (1.0 gpf)	AO1-005887E*L	LL-887E	T1-005*L	500	WS	GF
Foremost	None RF ADA (insulated) (1.0 gpf)	AO1-005887R	LL-887R	T1-005	600	WS	GF
Foremost	None RF ADA (insulated) (1.0 gpf)	AO1-005887R*L	LL-887R	T1-005*L	500	WS	GF
Gerber	Ultra Flush EL (rear discharge)	EF-21-310	21-374	EF-28-380	800	WS	PA
Gerber	Ultra Flush EL ADA	EF 21-318	21-377	EF-28-380	800	WS	PA
Gerber	Ultra Flush EL ADA	EF-21-312	21-372	EF-28-380	800	WS	PA
Gerber	Ultra Flush EL ADA (14" rough-in)	EF-21-324	21-372	EF-28-384	800	WS	PA
Gerber	Ultra Flush EL ADA (14" rough-in)	EF-21-314	21-372	EF-28-384	800	WS	PA
Gerber	Ultra Flush EL ADA (rear discharge)	EF-21-325	21-375	EF-28-380	800	WS	PA
Gerber	Ultra Flush EL ADA (w/bedpan lugs)	EF-21-319	21-329	EF-28-390	600		PA
Gerber	Ultra Flush RF	EF-21-302	21-342	EF-28-380	1000	WS	PA
Gerber	Ultra Flush RF	EF-21-304	21-342	EF-28-384	1000	WS	PA
Hennessy & Hinchcliffe	Proficiency - EL ADA (0.8 gpf)	N7717	N7717	N7715T	500	WS	GF
Hennessy & Hinchcliffe	Proficiency - RF ADA (0.8 gpf)	N7716	N7716	N7715T	400	WS	GF
Home Depot	Glacier Bay Power One EL - SKU 385-195, UPC 732291231015	N2310	2310B	2310T	1000	WS	PA

List continued on next page.

Make	Model Name	Model Number			MaP Score	Water Sense	Flush Type
		Set	Bowl	Tank			
INAX	Dover EL ADA (1-piece) (1.28/0.8 gpf)	NC-430S-US	-	-	800	WS	DF
INAX	Magellan EL ADA (1.28/0.8 gpf)	C-620S-MC-US	-	-	600	WS	DF
INAX	None EL ADA (1.28/0.8 gpf)	C-621S-MC-US	-	-	600	WS	DF
INAX	Mead EL ADA (1.28/0.8 gpf)	C-622S-MC-US	-	-	600	WS	DF
INAX	Rio Grande EL ADA (1.28/0.8 gpf)	C621S-MC-US	-	-	600	WS	DF
INAX	Saint Clair EL ADA (1-piece) (1.28/0.8 gpf)	NC-420S-US	-	-	800	WS	DF
Johnson Suisse	Cottage EL ADA (1-piece)	5554-M	-	-	400	WS	DF
Kohler	Barrington Pressure Lite EL (rear discharge)	K-3652	4327	4484	800	WS	PA
Kohler	Barrington Pressure Lite EL ADA	K-3578	4305	4484	NM	WS	PA
Kohler	Escale EL	K-3588	4308	4472	500	WS	DF
	Numi (1-piece)	K-3900	-	-	600	WS	DF
Kohler	Persuade EL	K-3654	4322	4419	600	WS	DF
Kohler	Reve EL (1-piece)	K-3797	-	-	NM	WS	DF
Kohler	Saile EL (1-piece)	K-3564	-	-	500	WS	DF
Kohler	San Raphael Power Lite EL ADA (1-piece)	K-3393 (power assist)	-	-	1000	WS	GF
Kohler	San Raphael Power Lite EL ADA (1-piece)	K-3607 (power assist)	-	-	NM	WS	GF
Kohler	San Raphael Pressure Lite EL ADA (1-piece)	K-3597	-	-	600	WS	GF
Kohler	Sterling Karsten Dual Force EL	402028	402026	402023	400	WS	DF
Kohler	Sterling Karsten RF	402025	402021	402023	800	WS	DF
Kohler	Sterling Rockton EL	402027	402026	402022	350	WS	DF
Kohler	Sterling Rockton EL ADA	402088	402086	402022	350	WS	DF
Kohler	Sterling Rockton RF	402024	402021	402022	NM	WS	DF
Kohler	Sterling Stanton EL	402040	402030	402031	NM	WS	DF
Kohler	Strela EL ADA	K-3598	4379	4742	500	WS	DF
Kohler	Wellworth Pressure Lite EL (1.0gpf)	K-3531	4303	4484	1000	WS	PA
Kohler	Highline Pressure Lite EL ADA (1.0gpf)	K-3519	4304	4484	1000	WS	PA
Kohler	Sterling Karsten EL ADA	402087	402086	402023	350	WS	DF
Laufen Bathrooms	Alessi (wall mount, rear discharge)	-	8.2097.1	111.335	NM	WS	DF
Laufen Bathrooms	Alessi Dot	8.290.1	8.2390.6	82890.1	NM	WS	DF
Laufen Bathrooms	Alessi Dot	8.2890.1	8.2390.6	82890.1	400	WS	DF
Laufen Bathrooms	Alessi Dot (wall mount, rear discharge)	-	8.2090.0	111.335	NM	WS	DF
Laufen Bathrooms	Alessi Floor	-	8.2297.6	8.2697.1	NM	WS	DF
Laufen Bathrooms	Form	-	8.2367.6	8.2767.3	NM	WS	DF
Laufen Bathrooms	Laufen	-	8.2495.8	8.2695.3	NM	WS	DF
Laufen Bathrooms	Laufen Pro (wall mount, rear discharge)	2095.2	8.2095.2	111.335	NM	WS	DF
Laufen Bathrooms	Laufen Pro (wall mount, rear discharge)	2095.0	8.2095.0	111.335	NM	WS	DF

List continued on next page.

Make	Model Name	Model Number			MaP Score	Water Sense	Flush Type
		Set	Bowl	Tank			
Laufen Bathrooms	LB3	-	8.2468.4	8.2868.3	NM	WS	DF
Laufen Bathrooms	Living City ADA (wall mount, rear discharge)	-	8.2043.5	111.335	600	WS	DF
Laufen Bathrooms	Mimo (wall mount, rear discharge)	-	8.2055.0	111.335	NM	WS	DF
Laufen Bathrooms	Mylife	-	8.2294.3	8.2694.1	NM	WS	DF
Laufen Bathrooms	Mylife (wall mount, rear discharge)	-	8.2094.6	111.335	NM	WS	DF
Laufen Bathrooms	Palomba	-	8.2480.6	8.2880.3	NM	WS	DF
Laufen Bathrooms	Palomba (wall mount, rear discharge)	-	8.2080.1	111.335	NM	WS	DF
Mansfield	Prestigio 4 EL (1-piece)	704	-	-	950	WS	PA
Mansfield	Quantum EL (wall mount, rear discharge) (1.0gpf)	-	144	153	900	WS	PA
Mansfield	QuantumOne EL (1.0gpf)	-	147	153	1000	WS	PA
Mansfield	QuantumOne EL (rear discharge) (1.0gpf)	-	149	153	1000	WS	PA
Mansfield	QuantumOne EL ADA (1.0gpf)	-	148	153	1000	WS	PA
Mansfield	QuantumOne RF (1.0gpf)	-	146	153	1000	WS	PA
Mirabelle (Ferguson)	Edenton RF ADA	-	MIRE240	MIRE201	NM	WS	DF
Mirabelle (Ferguson)	Edenton RF ADA (wall mount)	-	MIRE240	MIRE200	NM	WS	DF
Mirabelle (Ferguson)	Galatia EL ADA (1-piece)	MIRGA241	-	-	400		DF
Mirabelle (Ferguson)	Winter Haven EL ADA (wall mount)	-	MIRWH240	MIRWH200	600	WS	DF
Niagara	Power One EL (1.0 gpf)	N2310	N2310B	N2310T	1000	WS	PA
Niagara	Power One RF (1.0 gpf)	N2310R	N2310R	N2310T	800	WS	PA
Niagara	Stealth EL ADA (0.8 gpf)	N7717	N7717	N7715T	500	WS	GF
Niagara	Stealth RF ADA (0.8 gpf)	N7716	N7716	N7715T	400	WS	GF
Porcher (American Standard)	None RF ADA (in-wall tank)	97010-11	47010-11	111.335 Geberit	400	WS	DF
Price Pfister	Bernini EL	VTP-E11W	-	-	1000	WS	DF
Price Pfister	None (1-piece)	VTP-E10W	-	-	NM	WS	DF
Price Pfister	None EL	VTP-E51	C-5518	S-5518	1000	WS	DF
Price Pfister	None EL (1-piece)	VTP-E20W	-	-	600		DF
Price Pfister	None RF (1-piece)	VTP-E40	-	-	600		DF
ProFlo	None EL (1.0 gpf)	-	PF1601	PF1612	900	WS	PA
ProFlo	None EL ADA (1.0 gpf)	-	PF1603	PF1612	900	WS	PA
ProFlo	None EL (rear outlet)	-	PF1605	PF1612	1000	WS	PA
ProFlo	None RF	-	PF1600	PF1612	1000	WS	PA
Seasons (HD Supply)	None EL ADA	-	564-856	564-854	350	WS	PA
Tangshan Cielo Ceramics	None	0027S	-	-	350	WS	DF
Tangshan Cielo Ceramics	None RF ADA	0025S	-	-	NM	WS	DF
Toto	Aquia EL	CST412MF	CT412F	ST412M	800	WS	DF
Toto	Aquia EL	CST414M	CT414	ST413M	800	WS	DF
Toto	Aquia EL (1-piece, wall hung)	CT418FG	-	-	NM	WS	DF
Toto	Aquia EL ADA (10" rough-in)	CST412MF.10	CT412MF.10	ST412M	800	WS	DF
Toto	Aquia II EL	CST416M	CT416	ST416M	500	WS	DF
Toto	Aquia III EL	CST464M	CT464	ST464M	500	WS	DF

List continued on next page.

Make	Model Name	Model Number			MaP Score	Water Sense	Flush Type
		Set	Bowl	Tank			
Toto	Aquia IIIUH EL ADA	CST464MF	CT464F	ST464M	500	WS	DF
Villeroy & Boch	Aveo Dual-Flush EL	-	6614.10	7724-U1	700	WS	DF
Villeroy & Boch	Bellevue EL	-	5666 11 XX	5764 U1	NM	WS	DF
Villeroy & Boch	Hommage EL	-	6662 11 XX	7721 U1 XX	NM	WS	DF
Villeroy & Boch	Sentique EL	-	5625	5722	NM	WS	DF
VitrA	EverGreen Dual Flush EL ADA	-	5074	5055	800		DF
VitrA	EverGreen EL ADA (1.0 gpf)	-	5065	5066	500	WS	PA
Vortens-Lamosa	Tornado EL (1.0 gpf)	-	3138	3468	700	WS	PA
Vortens-Lamosa	Tornado EL ADA (1.0 gpf)	-	3134	3468	1000	WS	PA
Western Pottery	None (1.0 gpf)	B422PF-1	422PF	T-4ULF-PF	NM	WS	PA
Western Pottery	Wrangler EL (1.0 gpf)	B472PF-1	472PF	T-4ULF-PF	NM	WS	PA
Western Pottery	Wrangler One EL (1.0 gpf)	B432PF-1	432 PF	ULF-T4	1000	WS	PA
Xinle Bathroom Products	Galatia RF ADA (1-piece) (1.2/0.8 gpf)	CD-105 or MIRGA241	-	-	400	WS	DF
Zurn	EcoVantage EL (1.0 gpf)	Z5571	Z5570	Z5561	800	WS	PA
Zurn	EcoVantage EL ADA (1.0 gpf)	Z5561	Z5560	Z5561	1000	WS	PA
Zurn	EcoVantage RF (1.0 gpf)	Z5576	Z5575	Z5561	NM	WS	PA

Abbreviations

WS - WaterSense Labeled Toilet

MaP Score - Maximum Performance Testing Score

NM - Not Measured for maximum performance, flushes at least 350 grams to meet EPA WaterSense standards

DF - Dual Flush

PA - Pressure Assist

GF - Gravity Assist

EL - Elongated Bowl

RF - Round Front Bowl

ADA - Americans with Disabilities Act Compliant

Maximum Performance (MaP) Testing - a new and better measurement of toilet performance!

Many toilet fixture performance tests exist, including proprietary tests by the fixture manufacturers, tests by Consumer Reports magazine, and the tests mandated by the plumbing codes for fixture certification. Few of these, however, use test media that closely resembles the real "demands" upon a toilet.

The Maximum Performance (MaP) testing project was undertaken in 2003 in order to identify how well popular toilet models perform using a realistic test media. A new testing protocol, cooperatively developed by water-efficiency and plumbing fixture specialists in the U.S. and Canada, incorporated the use of soybean paste as a test media, closely replicating the "real world demand" upon fixtures. This protocol has been adopted by the U.S. Environmental Protection Agency for their WaterSense program.

The test media is measured in grams and toilet performance is determined by how much test media it can successfully flush. Toilets on this list of qualifying models have a MaP test performance of at least 500 grams or are WaterSense labeled.

For more information on MaP testing and to download the complete report, visit <http://www.map-testing.com>

